

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	141	((((interrupt\$3 or halt\$3) NEAR10 (writ\$3 or record\$3)) NEAR10 (period or time or duration)) same (magnitude or level or amplitude or threshold or ((offset\$3 or "off ADJ center" or displace\$4 or distance or deviation) NEAR5 (head or transducer or element)) or (position ADJ error) or PES)) and (disk or disc)	USPAT	2004/01/16 13:14
2	BRS	L2	351	((((inhibit\$3 or prohibit\$3 or prevent\$3 or stop\$4) NEAR10 (writ\$3 or record\$3)) NEAR10 (period or time or duration)) same (magnitude or level or amplitude or threshold or ((offset\$3 or "off ADJ center" or displace\$4 or distance or deviation) NEAR5 (head or transducer or element)) or (position ADJ error) or PES)) and (disk or disc)	USPAT	2004/01/16 13:29
3	BRS	L3	129	L1 not L2	USPAT	2004/01/16 12:48
4	BRS	L4	129	L3 and (period or time or duration)	USPAT	2004/01/16 12:48
5	BRS	L5	32	((((interrupt\$3 or halt\$3) NEAR10 (writ\$3 or record\$3)) NEAR10 (period or time or duration)) same (magnitude or level or amplitude or threshold or ((offset\$3 or "off ADJ center" or displace\$4 or distance or deviation) NEAR5 (head or transducer or element)) or (position ADJ error) or PES)) and (disk or disc)	US-PGP UB	2004/01/16 13:25

Searched circled L #'s

	Type	L #	Hits	Search Text	DBs	Time Stamp
6	BRS	L6	111	((inhibit\$3 or prohibit\$3 or prevent\$3 or stop\$4) NEAR10 (writ\$3 or record\$3)) NEAR10 (period or time or duration) same (magnitude or level or amplitude or threshold or ((offset\$3 or "off ADJ center" or displace\$4 or distance or deviation) NEAR5 (head or transducer or element)) or (position ADJ error) or PES)) and (disk or disc)	US-PGP UB	2004/01/16 13:14
7	BRS	L7	27	L5 not L6	US-PGP UB	2004/01/16 13:14
8	BRS	(L8)	27	L7 and (period or time or duration)	US-PGP UB	2004/01/16 13:15
9	BRS	(L9)	2	((interrupt\$3 or halt\$3) NEAR10 (writ\$3 or record\$3)) NEAR10 (period or time or duration) same (magnitude or level or amplitude or threshold or ((offset\$3 or "off ADJ center" or displace\$4 or distance or deviation) NEAR5 (head or transducer or element)) or (position ADJ error) or PES)) and (disk or disc)	EPO	2004/01/16 13:25
10	BRS	(L10)	17	((interrupt\$3 or halt\$3) NEAR10 (writ\$3 or record\$3)) NEAR10 (period or time or duration) same (magnitude or level or amplitude or threshold or ((offset\$3 or "off ADJ center" or displace\$4 or distance or deviation) NEAR5 (head or transducer or element)) or (position ADJ error) or PES)) and (disk or disc)	JPO	2004/01/16 13:28

	Type	L #	Hits	Search Text	DBs	Time Stamp
11	BRS	L11	3	((((interrupt\$3 or halt\$3) NEAR10 (writ\$3 or record\$3)) NEAR10 (period or time or duration)) same (magnitude or level or amplitude or threshold or ((offset\$3 or "off ADJ center" or displace\$4 or distance or deviation) NEAR5 (head or transducer or element)) or (position ADJ error) or PES)) and (disk or disc)	DERWENT	2004/01/16 13:29
12	BRS	L12	0	((((interrupt\$3 or halt\$3) NEAR10 (writ\$3 or record\$3)) NEAR10 (period or time or duration)) same (magnitude or level or amplitude or threshold or ((offset\$3 or "off ADJ center" or displace\$4 or distance or deviation) NEAR5 (head or transducer or element)) or (position ADJ error) or PES)) and (disk or disc)	IBM_TD B	2004/01/16 13:29
13	BRS	L13	47	((((inhibit\$3 or prohibit\$3 or prevent\$3 or stop\$4) NEAR10 (writ\$3 or record\$3)) NEAR10 (interval)) same (magnitude or level or amplitude or threshold or ((offset\$3 or "off ADJ center" or displace\$4 or distance or deviation) NEAR5 (head or transducer or element)) or (position ADJ error) or PES)) and (disk or disc)	USPAT	2004/01/16 13:33
14	BRS	L14	25	L13 not (L1 or L2)	USPAT	2004/01/16 13:30

	Type	L #	Hits	Search Text	DBs	Time Stamp
15	BRS	L15	9	((inhibit\$3 or prohibit\$3 or prevent\$3 or stop\$4) NEAR10 (writ\$3 or record\$3)) NEAR10 (interval) same (magnitude or level or amplitude or threshold or ((offset\$3 or "off ADJ center" or displace\$4 or distance or deviation) NEAR5 (head or transducer or element)) or (position ADJ error) or PES)) and (disk or disc)	US-PGP UB	2004/01/16 13:33
16	BRS	L16	7	L15 not (L5 or L6)	US-PGP UB	2004/01/16 13:33
17	BRS	L17	0	((inhibit\$3 or prohibit\$3 or prevent\$3 or stop\$4) NEAR10 (writ\$3 or record\$3)) NEAR10 (interval) same (magnitude or level or amplitude or threshold or ((offset\$3 or "off ADJ center" or displace\$4 or distance or deviation) NEAR5 (head or transducer or element)) or (position ADJ error) or PES)) and (disk or disc)	EPO	2004/01/16 13:33
18	BRS	L18	2	((inhibit\$3 or prohibit\$3 or prevent\$3 or stop\$4) NEAR10 (writ\$3 or record\$3)) NEAR10 (interval) same (magnitude or level or amplitude or threshold or ((offset\$3 or "off ADJ center" or displace\$4 or distance or deviation) NEAR5 (head or transducer or element)) or (position ADJ error) or PES)) and (disk or disc)	JPO	2004/01/16 13:34

	Type	L #	Hits	Search Text	DBs	Time Stamp
19	BRS	L19	1	((inhibit\$3 or prohibit\$3 or prevent\$3 or stop\$4) NEAR10 (writ\$3 or record\$3)) NEAR10 (interval) same (magnitude or level or amplitude or threshold or ((offset\$3 or "off ADJ center" or displace\$4 or distance or deviation) NEAR5 (head or transducer or element)) or (position ADJ error) or PES)) and (disk or disc)	DERWENT	2004/01/16 13:34
20	BRS	L20	0	((inhibit\$3 or prohibit\$3 or prevent\$3 or stop\$4) NEAR10 (writ\$3 or record\$3)) NEAR10 (interval) same (magnitude or level or amplitude or threshold or ((offset\$3 or "off ADJ center" or displace\$4 or distance or deviation) NEAR5 (head or transducer or element)) or (position ADJ error) or PES)) and (disk or disc)	IBM_TD_B	2004/01/16 13:34